



INDIAN INSTITUTE OF TECHNOLOGY, BOMBAY
ESTATE OFFICE, POWAI, MUMBAI, MAHARASHTRA – 400 076
TEL. 022 2576 4995 E-mail : drestate@iitb.ac.in

IIT Bombay invites digitally signed Technical Bid & Financial Bid for following work from the contractors having **similar** experience in Central Government Departments / State Government Departments / Central or State Autonomous Bodies / State or Central Public Sector Undertakings & Large Private Organizations. The detail of work is given below:

Sr. No.	Name of Work	Estimated Cost (In Rs.) Incl. 18% GST	EMD (Rs.)	Time Limit	RFX No.
1.	Construction of fire escape staircase in Mechanical Department. EO/A/ACAD/WKS-122/25-26	Rs.33,13,378/-	Rs.66,000/-	06 months	6100002333

Intending bidders need to register themselves on IIT Bombay portal i.e. <https://portal.iitb.ac.in/vrp/index.jsp> to get User ID and Password. **View the open tender on <https://ep.iitb.ac.in/irj/portal> Please visit https://portal.iitb.ac.in/vrp/vrp_srm_docs.jsp for configuration process and user manual.** Queries regarding vendor registration please contact on 022 – 2159 3001(ASC Help-desk) and queries regarding online Bid submission please contact to +91 82915 56277/6377 or mail us at srm@iitb.ac.in

Date and time of submission of tender documents digitally are from 15.09.2025 to 08.10.2025 till 11:15 a.m. Date of opening of **Technical Bid will be 08.10.2025 at 11:30 a.m. and Financial Bid 15.10.2025 (Tentative)**

Interested contractors/agencies are requested to upload Technical bid and Financial bid on the SRM tendering portal of IIT Bombay.

(A) All contractors/agencies should upload technical bid with the following documents on SRM tendering portal, failing to which their tender will be summarily rejected from the tendering process:

- 1) i. Experience of having successfully completed works during the last 7 years ending last day of the month previous to the one in which applications are invited :
Three **similar completed works** costing not less than the amount equal to 40% of estimated cost put to tender;
OR
Two **similar completed works**, costing not less than the amount equal to 50% of the estimated cost put to tender
Or
One **similar completed work** of aggregate cost not less than the amount equal to 80% of the estimated cost.
AND
ii. One completed work of any nature (either part of (i) or a separate one) costing not less than the amount equal to 40% of the estimated cost put to tender with some Central Government Departments / State Government Departments / State or Central Autonomous Bodies / State or Central Public Sector undertakings.
- 2) Detail statement for work completed, work in hand including balance commitment of work should be enclosed for last three year commencing from 1st April and ended with 31st March and contractor should submit his details as per Annexure'A' format with support of xerox copies of work order and work completion certificates, otherwise the bid capacity will not be calculated and his technical bid will be summarily rejected, and no Financial Bid will be opened. (All contractors/agencies are hereby informed that they should upload Technical bid as per format of Annexure "A", changing in format is not allowed).
- 3) Upload a scan copy of the information in respect of **manpower/mandays** for above said work must be given **in undertaking** with official signature and seal/stamp, otherwise tender will be **rejected**.
- 4) Bank Solvency certificate 40% of estimated amount issued within one year from any Nationalized / Schedule Bank from the date of publishing of Tender.
- 5) P. F. registration certificate.
- 6) P. F. challans of last 12months.
- 7) (i) ESIC registration certificate and copies of ESIC challans of last 12months.
OR
(ii) Contractors' all risks insurance (CAR policy) / Medclaim policy.
- 8) PAN card.
- 9) GST registration certificate.
- 10) Income Tax Return for last 03 years i.e. of **2021-22, 2022-23, and 2023-24**.
- 11) List of Equipment's, Machinery, Tools.
- 12) List of Technical Staff with copies of their Degree/diploma certificate.

- 13) The contractors who were empanelled under Estate Office under (2018-23) list need not have to upload Demand Draft. The contractors other than empanel list that are applying for tender need to upload a scan copy of Demand Draft / Pay Order for Rs.66,000/-(EMD amount) drawn in favour of "The Registrar, IIT Bombay" on online Tendering Portal.
- 14) Power of Attorney, if any.
- 15) Proof of Constitution: An affidavit in case of Sole Proprietorship, Partnership Deed in case of Partnership Firm, Article of Association in case of Private / Public Limited Companies.
- 16) **Litigation history** of the agency is required to be submitted along with the application. A tender would not be awarded if any inquiry proceeding / criminal case is found pending against the agency.
- 17) Index Sheet

Note:

Those contractors who do not have documents mentioned above from Sr. No. 1 to 17 need not apply as it is mandatory documents to qualify in technical bids.

Upload all your relevant documents in the serial order mentioned above. It is **advisable** not to make more than **03 folders of 5MB** while uploading documents.

The work will be executed with lowest bidder as per the terms and conditions of work order and tender documents signed by the lowest bidder. (All agencies are requested to upload a scan copy of Terms and Conditions with official signature and seal/stamp on SRM online tendering portal)

The validity of the bids will be valid for 6 months from the date of opening of tender.

If agency fails to submit the above mentioned documents by uploading to the online portal, their technical bid may be rejected.

Litigation history of the agency is required to be uploaded along with the application. Tender would not be awarded if any inquiry proceeding / criminal case is found pending against the agency.

No work will be subletted to third party. If found payment of final bill will not be processed and the contractor's name will removed from the enlistment without giving him further notice.

Contractor's/Agencies/Proprietor's are requested to give Power of Attorney to your representative to deal any matter with any Officers or Staff of IIT Bombay on behalf of you or your agency.

Rates of the estimate are based on CPWD DSR 2023 and rate analysis.

The contractor have to quote his own rates online against each item of work and need to select **N5 tax code** thereafter.

Scan and upload all the above mentioned documents in "**C folder**" of online SRM tendering portal.

IIT Bombay reserve its rights to reject any or all tenders without assigning any reason and without any reference.

No queries will be entertained within 24 hours prior to the opening of the tender. We kindly request all contractors to upload their quotations well in advance of the submission deadline to ensure a smooth and timely process.

IIT Bombay reserves the right to request a detailed justification of the quoted rates from the lowest bidder, if deemed necessary by the Engineer-in-Charge. Should the justification provided by the bidder be considered unsatisfactory or unsubstantiated, the Engineer-in-Charge shall have full authority to reject the bid, irrespective of it being the lowest.

Superintending Engineer (I/C)

Handwritten signature and date: 15/09/2025
Handwritten signature and date: 15/9/25
Handwritten initials: CN
Handwritten number: 5/9

INDEX SHEET

Sr. No.	Content	Page No.
1	Experience of having successfully completed works during the last 7 years ending last day of the month previous to the one in which applications are invited : Three similar completed works costing not less than the amount equal to 40% of estimated cost put to tender, OR Two similar completed works, costing not less than the amount equal to 50% of the estimated cost put to tender Or One similar completed work of aggregate cost not less than the amount equal to 80% of the estimated cost.	
2	Annexure 'A'	
3	Submit a copy of the information in respect of manpower/mandays for above said work must be given in undertaking with official signature and seal/stamp.	
4	Bank Solvency certificate 40% of estimated amount issued within one year from any Nationalized / Schedule Bank from the date of publishing of Tender.	
5	P. F. registration certificate.	
6	P. F. challans of last 12months.	
7	ESIC registration certificate and copies of ESIC challans of last 12months. OR Contractors' all risks insurance (CAR policy) / Mediclaim policy.	
8	PAN card.	
9	GST Registration certificate	
10	Income Tax Return for last 03 years i.e. of 2021-22 ,2022-23 & 2023-24.	
11	List of Equipment's, Machinery, Tools.	
12	List of Technical Staff with copies of their Degree/diploma certificate.	
13	Earnest Money Deposit	
14	Power of Attorney, if any.	
15	Proof of Constitution: An affidavit in case of Sole Proprietorship, Partnership Deed in case of Partnership Firm, Article of Association in case of Private / Public Limited Companies.	
16	Litigation history of the agency is required to be submitted along with the application. A tender would not be awarded if any inquiry proceeding / criminal case is found pending against the agency.	
17		
18		
19		

Signature & stamp of the Contractor

TO BE UPLOADED ON SRM TENDERING PORTAL WITH FINANCIAL BID

**ANNEXURE 'A' (FORMAT)
TECHNICAL BID**

File No. : EO/A/ACAD/WKS-122/25-26

Name of Work : Construction of fire escape staircase in mechanical department.

Name of the Contractor -----

Sr. No.	Name of Client	Name of Works	2022-23 (In Lakhs)	2023-2024 (In Lakhs)	2024-2025 (In Lakhs)	2025-2026 (In Lakhs)	
						Completed	Balance
			-	-	-	-	-
			-	-	-	-	-
Total Amount (In Lakhs)			-	-	-	-	-

Note : Contractor must submit his details as per Annexure 'A' with declaration stating that **he is possessing all the original copies of work orders and experience certificates, it will be produced as and when required to IIT Bombay.** However, if it is found false at later stage, the contractor will be debarred or blacklisted. Whereas, if information is not submitted as per Annexure 'A' format his bid capacity will not be calculated and his tender will be summarily rejected.

R. Shrivastava
15/09/2025

Superintending Engineer (I/C)

J. H. J.
15/09/25

Signature of Contractor
Name & Address in full

WORKS UNDERTAKING

EO/A/ACAD/WKS-122/25-26

To,
Superintending Engineer (I/C)
Indian Institute of Technology,
Powai, Mumbai – 400 076.

Sub : Construction of fire escape staircase in mechanical department.

Dear Sir,

We are hereby quoting all the rates for the attached schedule of short tender of the above mentioned job.

We hereby accept & signed all the General Terms and Conditions and special Conditions of Contract.

The work will be completed within specified time limit of Six months as mentioned in the notice inviting for short tenders.

The following information is required to be provided.

I / We agree to keep the tender open for One Hundred and Eighty (180) days from the due date of its opening / One Hundred and Eighty days from the date of opening of financial bid in case tenders are invited on 2/3 envelope system and not to make any modification in its terms and conditions.

	Male	Female
No. of Unskilled casual labour to be required per day.		
No. of Skilled casual labour to be required per day.		
Total Mandays required for completion of work.		

Thanking you,

Yours faithfully,

Signature of the Contractor
With official Seal / Stamp of the firm

INDIAN INSTITUTE OF TECHNOLOGY BOMBAY
POWAI, MUMBAI-76

EO/A/ACAD/WKS-122/25-26

ESTATE OFFICE

Name of Work :- Construction of fire escape staircase in mechanical department.

Schedule of Work

Sr. No.	Description of work	Qty.	Unit
1	Excavation for foundation, trenches, Roadway etc. in earth, soil of all types, sand, gravel, soft and hard murum, soft rock etc. including removing the excavated materials up to a distance of 50 meters beyond the site of work and lift up to 1.50 meters, stacking and spreading as directed preparing the bed for the foundation and necessary dewatering using pump, backfilling, ramming, watering, including shoring and strutting, providing necessary barricading around excavated area etc. complete.	70.00	Cum
2	Dismantling plain cement concrete work including breaking concrete by chiselling, wedging etc., and stacking the debris upto a distance of 50 metres or spreading as directed.	5.00	Cum
3	Carefully removing internal or external plaster in patches or any length without damaging structure brickwork in the vicinity by using electric cutting tools including cutting a groove first to demarcate exact area of damage taken place stacking the debris with in 50 meter, cleaning the site etc. complete. including covering the furniture, floor, windows and partitions with plastic sheets while chipping etc. including working platform / stepladder completed as directed. Note:- a) No extra payment shall be made for extra thickness removed. b) Proper tools to be used for removal of concrete and it should be seen by contractor no damage on the other side / near by area will be taken place and if required other portions are to be checked by the contractors with respect to the damage before commencement of the work. c) The area in vertical plane shall be measured.	50.00	Sqm
4	Chipping the R.C.C surface and cleaning the rusted reinforcement and exposed surface by wire brush mechanical device or any other established method and applying rust removing solution of approved make and quality with cotton waste swab to reinforcement and allowing to dry the same for 24 hour, brushing of loose particles and applying first coat of rust preventive coating of polymer and cement slurry in 1:1.5 proportion with soft brush without adding water including applying another coat of rust preventing after 4 hours allowing air curing for 48 hours. including working platform / stepladder etc. completed as directed.	100.00	Sqm
5	Providing and applying an effective bond coat of Polymer (SBR) approved by IITB and cement in the proportion of 1:1 by using brush in multiples coats as required to accommodate the whole thickness of polymer modified mortar wherever required etc. on the surface of old concrete / repaired concrete Polymer (SBR) of approved manufacturer. including working platform / stepladder etc. Note: The actual consumption of polymer shall be measured for payment on weight basis. Challans of authorized dealer will be verified.	150.00	Kg
6	Providing and Placing in position readymix polymer mortar manufacture by Dr. Fixit, Sunanda, Roff, MC Bouchmey, Chembond and adding water in the proportion of 1:0.14 (polymer mortar : water) in prepared grooves / cracks of the concrete court in layers as directed including mixing the polymer mortar with water using forced action mixer mild curing with water for 3 days and finishing the surface in all respect. including working platform / stepladder etc. Complete as directed. (Payment will be paid for the actual quantity of polymer mortar used on weight basis. Challans of authorised Dealer will be verified etc all complete as directed by Estate office).	4,650.00	Kg

Sr. No.	Description of work	Qty.	Unit
7	Providing and laying super fluid micro concrete of approved manufacturer at any floor after reinforcement treatment coat including providing marine plywood formwork in line and level, sealing the joints/ gaps with POP & cleaning, curing etc. complete. (Payment will be paid for the actual quantity of polymer mortar used on weight basis. including working platform / stepladder etc. Challans of authorised Dealer will be verified etc all complete as directed by Estate office).	1,000.00	Kg
8	Providing dry trap / rubble stone soling using good quality stone of 15cm to 20cm thick including hand packing and compacting to give desired surface etc. complete.	20.00	Cum.
9	Providing and laying cement concrete 1:11/2: 3 (M-20) plinth level to upto any floor using sand as fine aggregate and graded stone aggregate 20mm maximum size for foundation, coping and bedding, levelling, dewatering by any means, compaction, finishing, curing etc. complete all as directed.	15.00	Cum
10	Providing and laying in position ready-mixed or machine batched or machine mixed design mix M-30 (1:0.75:1.5) grade cement concrete (with minimum cement content 350Kg/Cum) for all work up to plinth level for reinforced cement concrete work, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per relevant IS code to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge including compacting, roughening the surface if special finish is to be provided, casting cubes and testing etc. completed as directed.	25.00	Cum
11	Centering and shuttering including strutting, propping etc. and removal of form for all heights :Lintels, beams, plinth beams, girders, bressumers and cantilevers	50.00	Sqm
12	Centering and shuttering including strutting, propping etc. and removal of form for all heights: Foundations, footings, bases of columns, etc. for mass concrete	20.00	Sqm
13	Centering and shuttering including strutting, propping etc. and removal of form for all heights: Columns, Pillars, Piers, Abutments, Posts and Struts	35.00	Sqm
14	Centering and shuttering including strutting, propping etc. and removal of form for all heights: Suspended floors, roofs, landings, balconies and access platform	10.00	Sqm
15	Centering and shuttering including strutting, propping etc. and removal of form for all heights:Stairs, (excluding landings) except spiral-staircases	12.00	Sqm

Sr. No.	Description of work	Qty.	Unit
16	Providing and fixing in position tor steel bar having grade Fe-500D or more for reinforcement of various diameters for R.C.C. footings, foundations, slabs, beams, columns, canopies, staircases, chajjas, lintels, pardies, coping, fins, dowel bars with sleeve, tie bar, any other required work etc. as per detailed designs, drawings and schedules including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required completed as directed.	3,600.00	Kg
17	Providing and fabricating structural steel works in rolled sections like joists, channels, angles, tees, hollow sections and any other required sections etc. as per detailed designs & drawings for supports, rafters, purlins, railing, staircase and any other work including fixing in position with connecting plates, braces and welding, riveting, bolting as necessary including one coat of redoxide priming coat etc. complete as directed.	1,000.00	Kg
18	Providing and applying two coats of synthetic enamel paint of IITB approved brand and shade to wood and steel work Scrapping, cleaning, covering the floor, windows, instruments during painting etc. complete.	20.00	Sqm
19	Providing second class burnt brick masonry with IS approved quality well burnt bricks having crushing strength of 35 kg. / square cm. and maximum water absorption of 20% in cement mortar 1:6 in superstructure including striking joints, racking out joints, watering etc. complete as directed.	10.00	Cum
20	Providing and fixing not less than 16 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut Granite (area of slab above 0.50 m2) for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.	10.00	Sqm
21	Providing and fixing not less than 16 mm thick gang saw cut, lappato polished, machine cut Granite (area of slab above 0.50 m2) for riser and treads of steps and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including making grooves, rubbing, curing, moulding and polishing to edges to give lappato finish etc. complete at all levels directed by Engineer in charge	35.00	Sqm
22	Providing and fixing hand rails in grids as required at any floor and height by using ISI approved heavy duty 304 gradeb stainless steel pipe of 40mm diameter, welding the pipes and making grids, embedding the pipe inside the floor / wall with cement concrete, flange, anchor fastner,rectification of all damages, providing caps with stain less steel 3mm thick, grinding the welding joints, bolting, cleaning etc. all complete as per directed by Engineer In-charge	20.00	Rmt
23	Providing and fixing hand rails in grids as required at any floor and height by using ISI approved heavy duty 304 grade stainless steel pipe of 25 mm diameter, welding the pipes and making grids, embedding the pipe inside the floor / wall with cement concrete, S.S flange, anchor fastner, rectification of all damages, providing caps with stain less steel 3mm thick, flange,fastner,grinding the welding joints,polishing, bolting,cleaning etc. As directed by Engineer Incharge complete.	30.00	Rmt

Sr. No.	Description of work	Qty.	Unit
24	Providing and applying one coat of acrylic primer and two coats of exterior acrylic paint of approved colour & shade of IITB approved manufacturer i.e. Berger, Asian, Killick Nixon, Goodlass, Nerolac, ICI, Decocem and as per manufacturer's specification on old or new plastered surface over concrete / brickwork, stonework as per manufacturer's specification including and cleaning the surface thoroughly with coir brush, watering the surface etc. complete including covering the floor, window glass with plastic sheet etc. all complete as directed by Engineer In-charge.	400.00	Sqm
25	Providing and erecting at site steel tubular H – frame double scaffolding with bracings to all heights as directed by engineer in charge before commencement of work and removing the same after completion of all external work requiring double scaffolding.	100.00	Sqm
26	<p>Providing and filling separation crack of 75mm width and 25mm deep with polymer modified cementitious mortar.</p> <p>a) Filling polymer modified cementitious mortar in layers of 20mm thick (applying bond coat at every layer) upto profile of concrete in vicinity (composition of mortar: cement 1Kg.: polymer (SBR) of approved manufacturer 15% by wt. of cement : 3Kg silica sand (grading IS 383, zone II, silt content = 0%) over a polymer + cement bond coat including applying making tape on both side of groove, cleaning, finishing to match the plaster in vicinity, disposing of debris anywhere in IITB campus, cleaning as directed etc. complete.</p> <p>b) Proportion</p> <p>c) Bond coat</p> <p>d) SBR polymer + cement in the ratio 1:1 by volume</p> <p>e) Polymer modified cementitious mortar</p> <p>f) SBR polymer 150ml.</p> <p>g) Cement 1 Kg.</p> <p>h) Silica sand 3.0 kg.</p> <p>(Note: - Demarcating groove, breaking Plaster / concrete shall be paid under respective items).</p>	50.00	Rmt
27	Cutting, demarcating grooves at any height with electrically operated cutter machine between sound and unsound plaster, cracks on external wall, separation cracks etc. complete.	50.00	Rmt
28	Providing and applying HILTY HIT-HY RE 500 injection in RCC including fixing in steel diameter 8mm to 12mm & length 4" to 6" reinforce bars including drilling hole as per manufacturer specifications, blowing out the hole and finishing etc. Complete as directed.	5.00	Nos
29	Providing uncoursed rubble masonry of trap stones in cement mortar 1:6 (Cement:sand/grit) including racking out joints when plastering is to be done, striking out joints, watering and pointing with cement mortar 1:3 on outside exposed faces, including providing M-20 grade concrete block header @ 1 header per sqm. to the full thickness of wall, providing weep holes with 100mm dia P.V.C pipes etc. all complete as directed.	40.00	Cum
30	Providing and fixing light duty ductile iron grating of size 450mmx600mm of NECO or IITB approved make in proper line and level all complete as directed.	70.00	Nos

Sr. No.	Description of work	Qty.	Unit
31	<p>Providing and fixing multicell 16mm thick (min.) Polycarbonate UV Insulated sheets of Coxwell/ Danpal/ Palram/ DPI Daylighting make of approved colour in curve or plane shape, panel width 900mm (min.), panels shall be uniform in colour with multi-cell structure. Weight of the panel shall not be less than 3.31Kg/sqm. Panels shall have vertical standing seam at both sides of the panel including all fittings and fixtures such as snap on connector with grip lock 1 / 2 tooth locking mechanism for water and air tightness. Panels shall be fixed on purlins with SS expansion fastener and polycarbonate U connectors. Panels shall be sealed with additional End-cap/Aluminium U profile(mill finish) for ends or welded ends. Panels shall be fixed on end wall by making grooves on wall plaster and fixing the sheet with necessary cement plastering/ grouting with required flashing at the junction of wall/concrete surface and sheets and other required fittings as per manufacturer specifications etc. Panels should be covered under 10 years warranty against any manufacturing defects Note: Payment for flashing will be made in separate item.</p>	55.00	Sqm
32	<p>Providing and applying exterior coating for wall including Cleaning the surface, removing the laitance, greese, old paints, contaminants, curing compound with wire brushing with water pressure wash. Fine hair line cracks more than 0.50 mm must be widened up to 5 mm minimum in V shape and then fill cracks with Dr. Fixit Crack-X Paste on masonry plaster surface. Apply primer coat prepared with Dr. Fixit Crack-X Paste and water in 1:1 proportion over the crack. Fill Dr. Fixit Crack-X Paste when the surface is tacky and not dried completely. Press Dr. Fixit Crack-X Paste firmly into the crack with a spatula or putty knives and level with the surface. Care must be taken to avoid formation of cavities or bubbles during application. Allow it to set for 24 hours and then apply another coat of Dr. Fixit Crack-X Paste. Apply one coat of Dr. Fixit Primeseal with water in proportion of 2:1 and stir well until a uniform consistency is achieved. Apply a single coat of diluted Primeseal on the cleaned substrate. Allow it to dry for 2 to 3 hours. Apply Base coat of undiluted Dr. Fixit Raincoat Waterproof Coating over the primed surface. Allow the Dr. Fixit Raincoat Waterproof Coating to dry for 4 – 6 Hrs of approved colour. Apply using brush / roller / airless spray. Apply top coat of undiluted High Build durable exterior waterproof wall coating Dr. Fixit Raincoat Select Top coat</p>	350.00	Sqm
	<p>coat over the Dr. Fixit Raincoat Waterproof Coating at applied areas of approved colour. Apply using brush / roller / airless spray to achieve DFT of 170 – 180 microns.Allow the Dr. Fixit Raincoat Select Top coat to dry for 6 – 8 Hrs. Allow the coated surface to air cure fully for 7 days.Work includes scaffolding and covering the floor, window glass with plastic sheet and as directed by this office. Work Shall be got executed through certified applicator of the product manufacturing company only and work shall be guaranteed for 03 years by the contractor on requisite stamp paper including submitting written guarantee from said certified applicator. Contractor to submit re-counsellation statement along with challans for work done.</p>		
33	<p>Disposing debris, loose stones, boulders, concrete column,footing etc broken collected and stacked as directed including loading in trucks, transporting out of IIT Campus including obtaining approval from Government/ private land owners for disposing off on to their approved location. The contractor will be solely responsible for disposing debris out of campus and the debris are to be removed from site within 72 hours from stacking (30% voids will be deducted from actual measurement for debris, loose stones, boulders, concrete pieces like column,footing).etc.. all complete as per direction of Engineer In-charge.</p>	6.00	Cum
34	<p>Removing surplus excavated materials, boulder etc. from site of work to anywhere in IITB campus in low lying area as directed. including loading, transporting to the dumping ground, unloading, spreading and levelling etc.all complete as directed by Engineer In-charge. 30% voids will be deducted in case of truck measurement.</p>	1.00	Cum

Sr. No.	Description of work	Qty.	Unit
35	Providing and applying one coat of Berger Protectomastic self priming high build coating, solvent borne zinc rich primer, having thickness as per manufacturer specification including preparing the surface by thoroughly removing grease, oil and other containments preferebly by using Bison degreasing solvent, using mechanical tools along with manual chipping and wire brushing to remove loose rust, thoroughly dust down all surfaces, followed by one coat of Epilux – 4 High Build Epoxy finish having thickness as per manufacturer specification followed by two coats of acrylic polyurethane enamel paint of Bergerthane finish of Berger having thickness as per manufacturer specification including tools, taking all safety measures etc complete..	100.00	Sqm
36	Providing and fixing 12mm and above Anchor bolt wherever necessary etc. All complete as per the directions of Engineer in charge.	50	Nos

1) Note : This schedule of work is given for reference purpose only. Contractors are requested to quote your rates online in financial bid.

2) If you will engage labourer 20 or more any day, you have to get labour licence as per contract Regulation & Abolition Act 1970 Rule 1971, and also, you have to keep all such recored for inspection to the Principal Employer. If you will engage labour up to 10 Nos. per day, you have to file returns after completion of work as per Building & Construction Act to the Office of Regional Labour Commissioner (Central), Sion, Mumbai.

3) This work is to be executed as per the the clauses mentioned in the tender document signed by you. In addition to the existing safety clause of the tender document a penalty of Rs.5,000/- per case will be recovered from the bills of the particular works, in case any such safety violations are noticed.

4) 01% amount will be deducted from the bills for safety related measures which will be reimburse along with the final bill.

5) Taxes as per government notification time to time.

6) Contractor must pay GST Taxes to concern authority within 30 days time limit after receipt of payment from IIT Bombay & said record must be submitted to IIT Bombay Accounts Section, otherwise action will be taken as deemed fit.

7) If any malpractices / fraud / negligent professional behaviour or any discrepancy / inconsistency / disparity / deviation / disagreement / dissimilarity / mismatch noticed, their contract will be terminated by issuing one month notice by following legal procedure and will be blacklisted and informed to all Government Authorities and Organisations.

Whapark
15/09/2025

Superintending Engineer (I/C)

J. J. J.
15/9/25

CW
15/9/25